




WAREHOUSE AUTOMATION SYSTEM


AUTOMATIC NOTE DISPENSER

AUTOMATIC NOTE DISPENSER



ISP SYSTEM YOUR PARTNER IN INNOVATIVE MECHATRONICS SOLUTION

1 — IDEALLY SUITED FOR THE AUTOMATED WAREHOUSE



ISP System's equipment set the industry standard for automatic note dispensing in high volume logistic environment


ISP-System's dispenser is based on proven designs that are customized perfectly to meet each customer's specific needs.

Optimized cycle time together with highly reliable mechanical system help our customers to stay ahead of the competition and get the best return on their investment.

2 — HIGH PRODUCTION RATE

The leading edge dispensing system is engineered for high speed and accurate note placement.

This is achieved through an advanced mechanism which allow up to 4 slips to be engaged simultaneously in the feeding circuit, ready to be dropped off into the next coming box. This unique feature drastically reduces transfer time and results in an unrivalled production rate.



3 — FULLY COMPATIBLE WITH A WIDE RANGE OF NOTES, PARCELS AND COPIERS TYPE

ISP System's unique design can support from one single loose leaf to a complete set of 10 stapled leaves according to your note type specifications.


The highly configurable platform is easily adaptable to your printer and parcel dimensions. In other words the frame can be adjusted to both the printer and the dispenser height to fulfill your requirements.




4 — TECHNICAL DATA

FEATURES	VALUES
Paper size	A4
Paper weight	80 g/m ²
Dropp off rate	45 sheets/min (higher rate on request)
Dispenser dimensions : (for height conveyor : 750 and XEROX Center 5865)	length : 2335 mm width : 1823 mm height : 2116 mm
Position : Conveyor / Ground	500 mm ≤ position ≤ 800 mm
Energy supply : - Electric power - Pneumatic pressure	230V and 380V 6 Bars
Weight	500 kg
Frame	welded and painted steel
Dispenser	Stainless steel
Optimal operating temperature	20° C ± 10°
Optimal operating humidity	50 % < HR < 75%
Parcel height range	100mm < Height < 400mm

5 — DIMENSIONS



Dimensions : 2335 (L) x 1821 (W) x 2790 (H) (for height conveyor 750 mm and XEROX Center 5865)



 **ISP SYSTEM**
Z.I. de la Herray - B.P. 10047
65501 VIC-EN-BIGORRE — FRANCE

 **+33 (0)5 62 33 44 44**
 **+33 (0)5 62 33 44 45**

 **contact@isp-system.fr**

 **www.isp-system.fr**

ISP SYSTEM S.A — Capital de 1 000 000 € — Zone Industrielle de la Herray, 65501 Vic-en-Bigorre Cedex
SIRET 410 675 078 00027 — APE 7112 B — TVA FR 19 410 675 078

*Ce document est la propriété d'ISP SYSTEM, il ne peut être utilisé, reproduit ou communiqué sans son accord préalable écrit.
Les informations mentionnées dans la présente fiche sont susceptibles d'évoluer, merci de vous renseigner auprès d'ISP SYSTEM.*